

Product Code: FFC2-1 35-108

Foster FlexDrawer Counter (variable temperature) with 1 Drawer and Splashback




Features & Benefits

- Change drawer temperature from fridge to freezer at the touch of a button simple
- High quality 304 s/s finish throughout meaning quality is assured
- 1x GN 1/1 150mm deep pan capacity maximises available storage space
- Climate Class 5 (43°C ambient)
- User friendly controls with LED Temp display
- · Lockable drawers for maximum security
- Automatic hot gas defrost

External Finish		Internal Finish		Shelving	
304 s/s ext	Standard	304 s/s	Standard	Gastronorm Pans	Option
Doors		Refrigeration		Electrical, Service & Ed	codesign
Solid	Standard	R290 - Energy Efficient	Standard	Data	
Product Extras		Specification		230/50/1	Standard
		•		Fuse Required	13
Helicoil Mains Lead	Option	Dimensions (Width)	775	Global Warming Potential	3
Extended worktop	Option	Dimensions (Height)	600	Energy Efficiency Index	38.69
Roller Set (reduces height by 25mm)	Option	Dimensions (Depth)	700	Refrigerant Charge	0.065
Cekon Lead	Option	Add 20mm to depth if product is to Depth be wall-sited stopper required for air Note circulation - detachable if not wall- sited			
Pan spacer support	Option				
		Noise Dba @ 1M	TBC		

Footnotes

- Max GN pan depth: 150mm
- Adequate airflow must be kept around the counter: 150mm



Application

This appliance is intended for use in ambient temperatures up to 40°C **Safety**

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit our policies













Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU Phone 08432 168800 | Email sales@foster-uk.com | Visit www.fosterrefrigerator.com