



# Electrolux

## Digital Undercounter Heavy Duty Refrigerator - 440lt, 2 Door, 2 Drawers

ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_


SIS # \_\_\_\_\_

AIA # \_\_\_\_\_



Electrolux

Heavy Duty Refrigerator - 440lt, 2 Door, 2 Drawers  
Digital Undercounter



Digital Undercounter

Heavy Duty Refrigerator - 440lt, 2 Door, 2 Drawers

726560 (RCDR3M22)

2-door and 2-drawer refrigerated counter 440lt, -2+10°C, AISI 304

### Short Form Specification

#### Item No.

External and internal in AISI 304 stainless steel. Worktop thickness mm50. Insulation thickness mm60. N. 2 full doors and N. 2X1/2 drawers. Built-in refrigeration unit. Ventilated operating mode. Evaporator. Electronic microprocessor control with external digital temperature display. Automatic defrost. Operating temperature: -2+10°C. For ambient temperatures up to 43 °C. CFC and HCFC free. R134a gas in refrigeration circuit. Gas in foam: Cyclopentane. Supplied with n. 2X1/1GN Rilsan coated grid and n. 8 sets of 2 stainless steel grid runners.

### Main Features

- Adjustable temperature range from -2 °C to +10 °C to suit meat, fish and dairy storage requirements.
- Anti-tilt runners accept GN 1/1 containers.
- Combination of doors and drawers to suit varying needs, with the possibility to change the configuration on site.
- Electronic microprocessor control with external digital temperature display.
- Forced air circulation for rapid cooling and an even temperature distribution.
- 60 mm insulation for energy saving.
- Tropicalized unit (43°C ambient temperature).
- This appliance is intended for use in ambient temperatures up to 40°C.

### Construction

- CFC and HCFC free (ecological refrigerant type: R134a, - gas in foam: cyclopentane).
- Built-in compressor to suit operating conditions.
- Constructed from AISI 304 Stainless steel throughout to meet the highest hygiene standards.
- Rounded internal corners for ease of cleaning.
- Mounted on Stainless steel legs to give 150 mm clearance for ease of cleaning the floor.
- Worktop in AISI 304 Stainless steel with a 50 mm profile.
- Access to all components from the front.
- Developed and produced in ISO 9001 and ISO 14001 certified factory.


### Included Accessories

- 2 of 1/1GN grey rilsan grid PNC 881435

### Optional Accessories

- Kit integrated HACCP for digital refrigerators (IR33)  PNC 880252
- 2 wheels for HD refrigerated counter and 400, 600 & 1300lt benefit refrigerated cabinets  PNC 880539
- 1/1GN grey rilsan grid  PNC 881435
- Printer for HACCP basic version (for cabinets and counters with digital control)  PNC 881457
- Lock for refrigerated counters  PNC 881499
- Kit 2 drawers 1/2+rack-HD refrigerated counters - not for freezer version  PNC 881514
- Kit 3 drawers 1/3+rack-HD refrigerated counters - not for freezer version  PNC 881515
- Kit 1 bottler+1 drawer for refrigerated counters - not for freezer version  PNC 881516
- Kit 1 door and rack for refrigerated counters  PNC 881517

APPROVAL: \_\_\_\_\_



### Electric

Supply voltage:

726560 (RCDR3M22) 230 V/1N ph/50 Hz

### Key Information:


Gross capacity:	440 lt
Net Volume:	221 lt
Door hinges:	1 Left+1 Right
<b>Built-in Compressor and Refrigeration Unit</b>	
External dimensions, Height:	850 mm
External dimensions, Width:	1759 mm
External dimensions, Depth:	700 mm
Number and type of doors:	2
Depth with doors open:	1110 mm
Height adjustment:	-10/50 mm
Number and type of grids (included):	2 - GN 1/1

### Refrigeration Data

Compressor power:	1/4 hp
Refrigerant type:	R134a
Refrigeration power:	358 W
Refrigerant weight:	220 g

### Product Information (EU Regulation 2015/1094)

Energy Class:	C
Yearly energy consumption:	1150kWh/year
Climate class:	Heavy Duty (5)
Energy Efficiency Index (EEI):	48,83



### EU energy labelling from 1st July 2016

The European energy labelling scheme for professional refrigerators and freezers is based on requirements setting Minimum Energy Performance standards for commercial refrigeration cabinets sold within the EU. These requirements are designed to drive energy efficiency and environmentally friendly approach for professionals. The European energy labelling scheme will apply to all manufacturers and importers who sell and market products within the EU and it is mandatory across Europe.

**Important:** all products which consume energy above the minimum level will not be able to be sold within the EU from 1 July 2016.