



BTD70BK

| Dimensions (mm) | External | Internal |
|-----------------|----------|----------|
| Height | 2000 | |
| Width | 685 | |
| Depth | 660 | |
| Capacity (ltr) | | |
| Gross | | 240 |
| Net | | 190 |



BTD100BK

| Dimensions (mm) | External | Internal |
|-----------------|----------|----------|
| Height | 2000 | |
| Width | 1000 | |
| Depth | 660 | |
| Capacity (ltr) | | |
| Gross | | 360 |
| Net | | 290 |



BTD130BK

| Dimensions (mm) | External | Internal |
|-----------------|----------|----------|
| Height | 2000 | |
| Width | 1310 | |
| Depth | 660 | |
| Capacity (ltr) | | |
| Gross | | 470 |
| Net | | 375 |



BTD150BK

| Dimensions (mm) | External | Internal |
|-----------------|----------|----------|
| Height | 2000 | |
| Width | 1500 | |
| Depth | 660 | |
| Capacity (ltr) | | |
| Gross | | 540 |
| Net | | 430 |



BTD200BK

| Dimensions (mm) | External | Internal |
|-----------------|----------|----------|
| Height | 2000 | |
| Width | 1935 | |
| Depth | 660 | |
| Capacity (ltr) | | |
| Gross | | 720 |
| Net | | 575 |

Features

- Black laminated exterior & interior
- 4 heavy duty adjustable shelves (300mm deep) with pricing strips
- Condenser over temperature audible alarm
- Adjustable feet
- Night bind fitted as standard
- Internal illumination - LED lighting to each shelf
- Tempered glass side panels
- Clear acrylic shelf edge risers

Additional Extras


- B9-SHELF70B - Shelf for BTD70BK (inc brackets)
- B9-SHELF100B - Shelf for BTD100BK (inc brackets)
- B9-SHELF130B - Shelf for BTD130BK (inc brackets)
- B9-SHELF150B - Shelf for BTD150BK (inc brackets)
- B9-SHELF200B - Shelf for BTD200BK (inc brackets)




Technical Specification

| | BTD70BK | BTD100BK | BTD130BK | BTD150BK | BTD200BK |
|-------------------------------|--------------|--------------|--------------|--------------|--------------|
| Temperature Range | +2°C ~ +10°C | +2°C ~ +10°C | +2°C ~ +10°C | +2°C ~ +10°C | +2°C ~ +10°C |
| Climate Class | 3 | 3 | 3 | 3 | 3 |
| Power Supply | 2x 13amp | 2x 13amp | 2x 13amp | 2x 13amp | 2x 13amp |
| Cooling | Ventilated | Ventilated | Ventilated | Ventilated | Ventilated |
| Defrost | Automatic | Automatic | Automatic | Automatic | Automatic |
| Noise Level | 65db | 65db | 65db | 65db | 65db |
| Refrigerant | R290 | R290 | R290 | R290 | R290 |
| Energy Efficiency Class | F | F | F | F | G |
| Energy Consumption (kw/24hrs) | 11.04 | 12.96 | 21.95 | 23.40 | 25.18 |
| Power Usage (w) | 1104 | 1296 | 2195 | 2340 | 2518 |
| Weight (kg) | 187 | 225 | 272 | 310 | 370 |


BTD70BK




BTD100BK



BTD130BK



BTD150BK



BTD200BK

